

SL 1600 MOTOTRBO[™] SL1600 Ultra-Slim Two-Way Radio VHF Model



SL1600 Simple and reliable communication for the mobile, everyday user. With a slim, easy-to-use design, the SL1600 has the latest technology for optimum performance when you need it.

MOTOTRBO[™] SL1600 provides reliable push-to-talk communication for the mobile, everyday user in an ultra-slim and rugged profile. Whether you're working in the field or at a black-tie event, the SL1600 is boldly designed to keep you efficiently connected.

Measuring only 22mm thick, the SL1600 is ultra-portable. A stubby antenna, curved edges and rugged frame make the SL1600 the perfect work partner. It can be easily carried in pockets or bags without snagging or bulging.

Designed for easy and intuitive use, the SL1600 has a side volume control, dedicated power button, prominent push-to-talk button, and top toggle channel switch to enable quick one-hand access. Channel "fast toggle" allows users to scroll through 10 channels at a time.

The SL1600 is outfitted with the latest technology for performance and ease of use. The shatterproof Active View display uses a matrix of LEDs behind the radio housing to communicate radio information and shuts off when not in use to conserve battery life. The SL1600 features Range Max technology: an advanced radio design and patented antenna which delivers enhanced range while maintaining a slim profile and long battery life.

The SL1600 is built to last. IP54 rated for dust and water resistance, it can be used even in harsh environments. This radio can survive many drops and tumbles. It has also been proven tough in Motorola's grueling Accelerated Life Test, where the radio is tested against a simulated 5 years of hard service before it is accepted.

Model No	Technical Description
MDH88JCP9JA2AN	SL1600 VHF DISPLAY PTO302D ROHS: N/A CE: Yes Country of Origin: MY

PRODUCT DETAILS

Band Split	VHF
Display & Keypad Type	Display,No Keypad
Encryption Type	Basic Privacy
Enhanced Radio Features	
Intrinsically Safe	No
IP Rating	IP54
# of Channels	99

Power	3W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Carry Holster
System Compatability	Analog Conventional, Digital Conventional, IP Site Connect (optional)
Туре	Portable



SL 1600 MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio VHF Model

_	Model No	Technical Description	Price
	MDH88JCP9JA2AN	MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio VHF Model	€505.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS BAT SL1600	QA04815AA	STD: LI-ION IP54 2300T BATTERY (PMNN4468)	€0.00
CLS ANT SL1600 VHF	QA04816AA	ALT: VHF STUBBY 136-144 MHZ 5CM ANTENNA (PMAD4144)	€0.00
	QA04817AA	ALT: VHF STUBBY 144-156 MHZ 5CM ANTENNA (PMAD4145)	€0.00
	QA04818AA	ALT: VHF STUBBY 156-174 MHZ 5CM ANTENNA (PMAD4146)	€0.00
	QA06770AA	ALT: VHF WHIP 136-144 MHZ 9CM ANTENNA (PMAD4154)	€0.00
	QA06771AA	ALT: VHF WHIP 144-156 MHZ 9CM ANTENNA (PMAD4155)	€0.00
	QA06772AA	ALT: VHF WHIP 156-174 MHZ 9CM ANTENNA (PMAD4156)	€0.00
CLS CHG SL1600	QA04822AA	ALT: USB CHARGER CE UK 100-240V (PS000227A13)	€0.00
	QA04823AA	DEL: CHARGER	-€9.00
	QA04835AA	ALT: USB CHARGER CE EU100-240V (PS000227A12)	€0.00
	QA04836AA	ALT: SUC SMPS-CE UK 100-240V (PMLN7163)	€40.00
	QA04837AA	ALT: SUC SMPS-CE EU 100-240V (PMLN7110)	€40.00
CLS MAN SL1600	QA04826AA	ADD: SL1600 QUICK REFERENCE GUIDE	€4.00
	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV OPTION 1	QA07698AA	ADD: 5 YEAR ENHANCED WARRANTY	€14.50
	QA07699AA	ADD: 5YR ENHANCED WARRANTY WITH REPAIR	€70.00
	QA07701AA	ADD:5YR ENHANCED WARR WITH REPAIR AND ACC DAM	€145.00
	QA07702AA	DEL: STANDARD WARRANTY APPLIES	€0.00

NON-MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ACC SL1600	QA04828AA	ADD: HOLSTER (PMLN7190)	€0.00
	QA04829AA	ADD: WRIST STRAP (PMLN6074)	€0.00
	QA04830AA	ADD: HAND STRAP (PMLN7076)	€8.00
	QA04831AA	ADD: HEAVY DUTY BELT CLIP (PMLN7128)	€5.00



SL 1600 MOTOTRBO[™] SL1600 Ultra-Slim Two-Way Radio VHF Bulk Model

Model No	Technical Description
MDH88JCP9JA2ANB	SL1600 VHF DISPLAY PTO302D ROHS: N/A CE: Yes Country of Origin: MY
PRODUCT DETAILS	
Band Split	VHF
Display & Keypad Type	Display,No Keypad
Encryption Type	Basic Privacy
Enhanced Radio Features	
Intrinsically Safe	No
IP Rating	IP54
# of Channels	99
Power	3W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Carry Holster
System Compatability	Analog Conventional, Digital Conventional, IP Site Connect (optional)
Туре	Portable



SL 1600 MOTOTRBO[™] SL1600 Ultra-Slim Two-Way Radio VHF Bulk Model

Model No	Technical Description	Price
MDH88JCP9JA2ANB	MOTOTRBO [™] SL1600 Ultra-Slim Two-Way Radio VHF Bulk Model	€490.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS BAT SL1600	QA04815AA	STD: LI-ION IP54 2300T BATTERY (PMNN4468)	€0.00
CLS ANT SL1600 VHF	QA04816AA	ALT: VHF STUBBY 136-144 MHZ 5CM ANTENNA (PMAD4144)	€0.00
	QA04817AA	ALT: VHF STUBBY 144-156 MHZ 5CM ANTENNA (PMAD4145)	€0.00
	QA04818AA	ALT: VHF STUBBY 156-174 MHZ 5CM ANTENNA (PMAD4146)	€0.00
	QA06770AA	ALT: VHF WHIP 136-144 MHZ 9CM ANTENNA (PMAD4154)	€0.00
	QA06771AA	ALT: VHF WHIP 144-156 MHZ 9CM ANTENNA (PMAD4155)	€0.00
	QA06772AA	ALT: VHF WHIP 156-174 MHZ 9CM ANTENNA (PMAD4156)	€0.00
CLS CHG SL1600 BULK	QA04824AA	ALT: USB CHARGER CE UK 100-240V (PS000227A13)	€0.00
	QA04825AA	DEL: CHARGER	-€9.00
	QA04838AA	ALT: USB CHARGER CE EU100-240V (PS000227A12)	€0.00
	QA04839AA	ALT: SUC SMPS-CE UK 100-240V (PMLN7163)	€40.00
	QA04840AA	ALT: SUC SMPS-CE EU 100-240V (PMLN7110)	€40.00
CLS MAN SL1600	QA04826AA	ADD: SL1600 QUICK REFERENCE GUIDE	€4.00
	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV OPTION 1	QA07698AA	ADD: 5 YEAR ENHANCED WARRANTY	€14.50
	QA07699AA	ADD: 5YR ENHANCED WARRANTY WITH REPAIR	€70.00
	QA07701AA	ADD:5YR ENHANCED WARR WITH REPAIR AND ACC DAM	€145.00
	QA07702AA	DEL: STANDARD WARRANTY APPLIES	€0.00

NON-MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ACC SL1600	QA04828AA	ADD: HOLSTER (PMLN7190)	€0.00
	QA04829AA	ADD: WRIST STRAP (PMLN6074)	€0.00
	QA04830AA	ADD: HAND STRAP (PMLN7076)	€8.00
	QA04831AA	ADD: HEAVY DUTY BELT CLIP (PMLN7128)	€5.00



SL 1600 MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Model

Model No	Technical Description
MDH88QCP9JA2AN	SL1600 UHF DISPLAY PTO502D ROHS: N/A CE: Yes Country of Origin: MY
PRODUCT DETAILS	
Band Split	UHF
Display & Keypad Type	Display,No Keypad
Encryption Type	Basic Privacy
Enhanced Radio Features	
Intrinsically Safe	No
IP Rating	IP54
# of Channels	99
Power	3W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Carry Holster
System Compatability	Analog Conventional, Digital Conventional, IP Site Connect (optional)
Туре	Portable



SL 1600 MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Model

Model No	Technical Description	Price
MDH88QCP9JA2AN	MOTOTRBO [™] SL1600 Ultra-Slim Two-Way Radio UHF Model	€505.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS BAT SL1600	QA04815AA	STD: LI-ION IP54 2300T BATTERY (PMNN4468)	€0.00
CLS ANT SL1600 UHF	QA04819AA	ALT: UHF STUBBY 403-425 MHZ 4.5CM ANTENNA (PMAE4093)	€0.00
	QA04820AA	ALT: UHF STUBBY 420-445 MHZ 4.5CM ANTENNA (PMAE4094)	€0.00
	QA04821AA	ALT: UHF STUBBY 435-470 MHZ 4.5CM ANTENNA (PMAE4095)	€0.00
CLS CHG SL1600	QA04822AA	ALT: USB CHARGER CE UK 100-240V (PS000227A13)	€0.00
	QA04823AA	DEL: CHARGER	-€9.00
	QA04835AA	ALT: USB CHARGER CE EU100-240V (PS000227A12)	€0.00
	QA04836AA	ALT: SUC SMPS-CE UK 100-240V (PMLN7163)	€40.00
	QA04837AA	ALT: SUC SMPS-CE EU 100-240V (PMLN7110)	€40.00
CLS MAN SL1600	QA04826AA	ADD: SL1600 QUICK REFERENCE GUIDE	€4.00
	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV OPTION 1	QA07698AA	ADD: 5 YEAR ENHANCED WARRANTY	€14.50
	QA07699AA	ADD: 5YR ENHANCED WARRANTY WITH REPAIR	€70.00
	QA07701AA	ADD:5YR ENHANCED WARR WITH REPAIR AND ACC DAM	€145.00
	QA07702AA	DEL: STANDARD WARRANTY APPLIES	€0.00

NON-MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ACC SL1600	QA04828AA	ADD: HOLSTER (PMLN7190)	€0.00

Option SKU	Description	Price
QA04829AA	ADD: WRIST STRAP (PMLN6074)	€0.00
QA04830AA	ADD: HAND STRAP (PMLN7076)	€8.00
 QA04831AA	ADD: HEAVY DUTY BELT CLIP (PMLN7128)	€5.00



SL 1600 MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Bulk Model

Model No	Technical Description	
MDH88QCP9JA2ANB	SL1600 UHF DISPLAY PTO502D ROHS: N/A CE: Yes Country of Origin: MY	
PRODUCT DETAILS		
Band Split	UHF	
Display & Keypad Type	Display,No Keypad	
Encryption Type	Basic Privacy	
Enhanced Radio Features		
Intrinsically Safe	No	
IP Rating	IP54	
# of Channels	99	
Power	3W	
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Carry Holster	
System Compatability	Analog Conventional, Digital Conventional, IP Site Connect (optional)	
Туре	Portable	



SL 1600 MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Bulk Model

Model No	Technical Description	Price
MDH88QCP9JA2ANB	MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Bulk Model	€490.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS BAT SL1600	QA04815AA	STD: LI-ION IP54 2300T BATTERY (PMNN4468)	€0.00
CLS ANT SL1600 UHF	QA04819AA	ALT: UHF STUBBY 403-425 MHZ 4.5CM ANTENNA (PMAE4093)	€0.00
	QA04820AA	ALT: UHF STUBBY 420-445 MHZ 4.5CM ANTENNA (PMAE4094)	€0.00
	QA04821AA	ALT: UHF STUBBY 435-470 MHZ 4.5CM ANTENNA (PMAE4095)	€0.00
CLS CHG SL1600 BULK	QA04824AA	ALT: USB CHARGER CE UK 100-240V (PS000227A13)	€0.00
	QA04825AA	DEL: CHARGER	-€9.00
	QA04838AA	ALT: USB CHARGER CE EU100-240V (PS000227A12)	€0.00
	QA04839AA	ALT: SUC SMPS-CE UK 100-240V (PMLN7163)	€40.00
	QA04840AA	ALT: SUC SMPS-CE EU 100-240V (PMLN7110)	€40.00
CLS MAN SL1600	QA04826AA	ADD: SL1600 QUICK REFERENCE GUIDE	€4.00
	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV OPTION 1	QA07698AA	ADD: 5 YEAR ENHANCED WARRANTY	€14.50
	QA07699AA	ADD: 5YR ENHANCED WARRANTY WITH REPAIR	€70.00
	QA07701AA	ADD:5YR ENHANCED WARR WITH REPAIR AND ACC DAM	€145.00
	QA07702AA	DEL: STANDARD WARRANTY APPLIES	€0.00

NON-MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ACC SL1600	QA04828AA	ADD: HOLSTER (PMLN7190)	€0.00

Option SKU	Description	Price
QA04829AA	ADD: WRIST STRAP (PMLN6074)	€0.00
QA04830AA	ADD: HAND STRAP (PMLN7076)	€8.00
 QA04831AA	ADD: HEAVY DUTY BELT CLIP (PMLN7128)	€5.00



SL 1600 SERVICE, SOFTWARE AND SUBSCRIPTION ITEMS

Please note that items listed under SERVICE ITEMS section are not available for the individual sell

SERVICE, SOFTWARE AND SUBSCRIPTION ITEMS



5 Year Enhanced Warranty uplift from Standard Warranty for Entry tier MOTOTRBO devices

Enhances from the Standard Warranty to a 5 Year Enhanced Warranty for Entry tier MOTOTRBO devices. **Model No:** GMLN5553A

 Description:
 5YR ENHANCED WARRANTY DEVICE

 ENTRY
 ROHS:
 N/A
 CE:
 N/A
 Country of Origin:
 N/A

 Weight (-)

 Dimensions (-)
 - (W) - (H) - (L)

 Technology
 MOTOTRBO Radios

tier MOTOTRBO devices

Price: €14.50

Enhances the 5 Year Enhanced Warranty for Entry tier MOTOTRBO devices to include Hardware Repair with one way shipping for the full term

5 Year Repair uplift from Enhanced Warranty for Entry

Model No: GMLN5554A

Description: 5YR ENH WARR WITH REP TRBO DEVICE ENTRY ROHS: N/A CE: N/A Country of Origin: N/A

Price: €70.00



5 Year Repair with Accidental Damage uplift from Enhanced Warranty for Entry tier MOTOTRBO devices

Enhances the 5 Year Enhanced Warranty for Entry tier MOTOTRBO devices to include Hardware Repair with accidental

damage and two way shipping for the full term

Model No: GMLN5562A

Description: 5YR ENH WARR REPAIR AND ACC DAM ENTRY

Country of Origin: N/A

ROHS: N/A CE: N/A

Price: €145.00

Weight (-) -

·····j···()	
Dimensions (-)	- (W) - (H) - (L)
Technology	MOTOTRBO Radios

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Technology	MOTOTRBO Radios



PROFESSIONAL RADIOS SL 1600 ACCESSORIES

ANTENNAS

Ο	Ο	0
0	0	0
0	0	0
	\bigcirc	

Each ID band kit is sold in packs of 10. **Model No:** 32012144001

Antenna ID Bands, Grey

Description: ANTENNA ID BAND (GREY)

ROHS: Yes CE: N/A Country of Origin: CN Price: €14.00

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands
Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands
Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands

Antenna ID Bands, Yellow

Antenna ID Bands, Green

Model No: 32012144003

bands

ROHS: Yes

Price: €14.00

 Motorola Solutions 32012144002 Antenna ID Bands

 Model No: 32012144002

 Description: ANTENNA ID BAND (YELLOW)

 ROHS: Yes
 CE: N/A

 Country of Origin: CN

 Price: €14.00

Motorola Solutions 32012144003 green antenna id

Country of Origin: CN

Description: ANTENNA ID BAND (GREEN)

CE: N/A

000

000

000

0

Antenna ID Bands, Blue

Motorola Solutions 32012144004-1 blue antenna ID band

Model No: 32012144004

Antenna ID Bands, Purple

Model No: 32012144005

bands

ROHS: Yes

Price: €14.00

 Description: ANTENNA ID BAND (BLUE)

 ROHS: Yes
 CE: N/A
 Country of Origin: CN

 Price: €14.00
 Country of Origin: CN

Motorola Solutions 32012144001 purple antenna id

Country of Origin: CN

Description: ANTENNA ID BAND (PURPLE)

CE: N/A

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands
Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands
	Antenna id bands
Weight (-) Dimensions	Antenna id bands - 2 (W) 0.38 (H) 0.38 (L)
Weight (-)	-
Weight (-) Dimensions (IN-Inch) Frequency	- 2 (W) 0.38 (H) 0.38 (L)
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency	- 2 (W) 0.38 (H) 0.38 (L) VHF
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz No
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz No N/A
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz No N/A Stud
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz No N/A Stud
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz No N/A Stud Portable radio antenna -
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz No N/A N/A Stud Portable radio antenna - 2 (W) 0.38 (H) 0.38 (L)
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz No N/A N/A Stud Portable radio antenna - 2 (W) 0.38 (H) 0.38 (L) VHF
Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated	- 2 (W) 0.38 (H) 0.38 (L) VHF 136-144 MHz No No N/A Stud Portable radio antenna - 2 (W) 0.38 (H) 0.38 (L) VHF 144-156 MHz



VHF Stubby Antenna, 136-144 MHz

This antenna is designed for use with SL300 radios. Model No: PMAD4144B Description: VHF STUBBY ANT (136-144MHZ) 5CM ROHS: Yes CE: N/A Country of Origin: CN Price: €14.00

VHF Stubby Antenna

Enhance your portable radio's performance with the VHF Stubby Antenna, designed for the 144–156 MHz range. This compact, SMA-female mounted antenna offers reliable communication - it doesn't include integrated GPS.

Model No: PMAD4145B

Description: VHF STUBBY ANT (144-156MHZ) 5CM ROHS: Yes CE: N/A Country of Origin: MY

Price: €14.00

Portable radio antenna

SMA-FEMALE

Mounting Style Type



VHF Stubby Antenna

VHF Stubby Antenna, 155-174 MHz

Model No: PMAD4146B

Description: VHF STUBBY ANT (156-174MHZ) 5CM ROHS: Yes Country of Origin: MY CE: N/A

Price: €14.00

Weight (-)	-
Dimensions (IN-Inch)	- (W) 2 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	155-174 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Weight (-)	-
Dimensions (- (W) - (H) - (L)
-) Frequency	VHF
Band	
Frequency Range (MHz)	136-144 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Portable radio antenna
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	VHF
Frequency	
Range (MHz)	144-156 MHz
	144-156 MHz No
Range (MHz) Integrated	
Range (MHz) Integrated GPS Intrinsic	No
Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting	No N/A
Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style	No N/A N/A
Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type	No N/A N/A
Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (No N/A N/A Portable radio antenna -
Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (-) Frequency	No N/A N/A Portable radio antenna - - (W) - (H) - (L)
Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (-) Frequency Band Frequency	No N/A N/A Portable radio antenna (W) - (L) VHF
Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (-) Frequency Band Frequency Range (MHz) Integrated	No N/A N/A Portable radio antenna (W) - (L) VHF N/A
Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (-) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic	No N/A N/A Portable radio antenna (W) - (H) - (L) VHF N/A No



VHF Whip Antenna (136-144MHz)

The VHF Whip Antenna (136-144MHz) is a portable radio antenna designed for SL1600, SL1M, SL2600 and SL2M models. It operates within the 136-144 MHz frequency range. Please note, this model does not include integrated GPS.

Model No: PMAD4154A

Description: VHF WHIP ANT (136-144MHZ) 9CM

ROHS: Yes CE: N/A Country of Origin: MY

Price: €18.00



VHF Whip Antenna (144-156MHz)

The black VHF Whip Antenna (144-156MHz) is a portable radio antenna compatible with SL1600, SL1M, SL2600 and SL2M models. Please note, this model does not include integrated GPS.

Model No: PMAD4155A

Price: €18.00

Description: VHF WHIP ANT (144-156MHZ) 9CM ROHS: Yes Country of Origin: CN CE: N/A

Price: €18.00



VHF Whip Antenna (156-174MHz) •Colour Code: Black Model No: PMAD4156A Description: VHF WHIP ANT (156-174MHZ) 9CM ROHS: Yes CE: N/A Country of Origin: MY



Motorola UHF Stubby Antenna, 403-425 MHz

The Motorola Solutions UHF Stubby Antenna, 403-425 MHz, is designed for the SL300 Series radios. Please note, this model does not include integrated GPS.

Model No: PMAE4093B

UHF Stubby Antenna

Model No: PMAE4094B

ROHS: Yes

Price: €14.00

portable radios. Model No: PMAE4095B

435-470MHZ ROHS: Yes

Price: €14.00

Description: UHF STUBBY ANT (403-425MHZ) 4.5CM

ROHS: Yes CE: Yes Country of Origin: MY Price: €14.00

The UHF Stubby Antenna is a portable radio antenna operating within a frequency range of 420-445 MHz. It provides reliable communication for your UHF radios. Please note, this model does not include integrated GPS.

Description: UHF STUBBY ANT (420-445MHZ) 4.5CM

Country of Origin: MY

Country of Origin: MY

CE: N/A

UHF Stubby Antenna, 435-470 MHz

UHF 435-470 MHz antenna for SL1600 and SL300

Description: PORTABLE ANTENNA, STUBBY,

CE: Yes

Weight (-)	-
Dimensions (IN-Inch)	- (W) 1.75 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	403-425 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Weight (-)	
Dimensions (IN-Inch)	- (W) 1.88 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	420-445 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Weight (-)	-
Dimensions (IN-Inch)	- (W) 1.75 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	435-470 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud

Portable radio antenna

6 (W) 3.5 (H) 6 (L)

REPAIR-PARTS



Fitting Seal

Fitting Seal. Model No: 3271133M01 **Description: FITTING SEAL** ROHS: Yes CE: N/A Price: €2.43

Country of Origin: MY

Туре

Weight (-)

Dimensions

(MM-Millimeter)



 Audio Test Cable

 AUDIO TEST CABLE

 Model No: CB000233A01

 Description: AUDIO TEST CABLE

 ROHS: Yes
 CE: Yes

 Country of Origin: CN

 Price: €21.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Cable Type	Programming

Г		~7	
	C	$\boldsymbol{\Lambda}$	
	X		
	/_		

Portable Programming Cable with TTR

This cable connects the radio to a USB port for radio programming. **Model No:** PMKN4128A

Description: RADIO PROGRAMMING CABLE WITH TRANSISTOR-TRANSISTOR RESISTOR

ROHS: YesCE: YesCountry of Origin: CNPrice: €45.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Cable Type	Programming

EARPIECES



Replacement Foam Plugs

Replacement parts for surveillance kits with acoustic tube. Ship in a pack of 50 pairs.

Model No: 5080384F72

Description: NOISE ATTENUATING PLUGS

ROHS: Yes CE: N/A Country of Origin: CN Price: €322.94



Mag One Earbud With In-Line Microphone and PTT

The Motorola Solutions PMLN7156 Earbud is a popular headset for customers who are looking for a discreet headset.

Model No: PMLN7156A

Description: EARBUD W IN-LINE MIC/PTT, MAG ONE

ROHS: Yes CE: Yes Country of Origin: CN Price: €27.00

2-Wire Surveillance Kit, Black

The PMLN7157 is a 2-wire surveillance kit features easy accessible microphone and push-to-talk combined designed for SL Series Radios.

Model No: PMLN7157A

Description: EARPIECE, 2-WIRE, WITH MIC & PTT, 2.5MM

ROHS: Yes CE: Yes Country of Origin: CN Price: €59.00

Weight (-)	-
Dimensions (IN-Inch)	0.5 (W) 1.75 (H) 0.5 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (-)	-
Dimensions (IN-Inch)	0.06 (W) 1.38 (H) 0.75 (L)
Earpiece Type	In-ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line
Weight (-)	-
Dimensions (IN-Inch)	0.63 (W) 6.75 (H) 1 (L)
Earpiece Type	Surveillance and covert
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

Surveillance Earpiece With In-Line Microphone and PTT

Motorola Solutions PMLN7158 1-wire Surveillance Kit with microphone, PTT (push-to-talk switch), acoustic tube for MOTOTRBO SL300, SL3500e, SL7500, TLK 100, TLK 110.

Model No: PMLN7158A

Description: E	ARPIECE, 1-W	IRE, WITH MIC & PTT, 2.5MM
ROHS: Yes	CE: Yes	Country of Origin: CN
Price: €51.00		



Adjustable D-Style Earpiece With In-Line Microphone and PTT

Adjustable D-style earpiece with in-line microphone and push-to-talk. Compatible with Motorola Solutions SL300, SL3500, SL7550, and TLK100 radios.

Model No: PMLN7159A

Description: ADJUST D-STYLE W/ IN-LINE PTT/MIC

ROHS: Yes	CE: Yes	Country of Origin: CN
Price: €45.50		



Swivel Earpiece With In-Line Microphone and PTT

Motorola Solutions PMLN7189 swivel earpiece allows you to communicate discreetly and easily with this comfortable, flexible fitting earpiece.

Model No: PMLN7189A

Description: E 2.5MM	ARPIECE, SWI	VEL, WITH MIC & PTT,
ROHS: Yes	CE: Yes	Country of Origin: CN

Price: €43.00



Receive-Only Earpiece With Translucent Tube

Motorola Solutions PMLN7560 receive only earpiece with translucent comfort eartube.

Model No: PMLN7560A

Description: EARPIECE, RECEIVE ONLY WITH TRANSLUCET TUBE, 3.5MM

ROHS: Yes CE: Yes Country of Origin: CN Price: €43.00



Quick-Disconnect Translucent Tube

Low Noise Kit with Quick Disconnect translucent tube and clear rubber eartip **Model No:** RLN6242A **Description:** EARPIECE, REPLACEMENT, QUICK DISCONNECT TUBE

ROHS: Yes CE: N/A Country of Origin: MY Price: €9.00

Weight (-)

meight ()	
Dimensions (IN-Inch)	0.75 (W) 6.5 (H) 1.5 (L)
Earpiece Type	Surveillance and covert
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

Weight (-)

Dimensions (IN-Inch)	0.5 (W) 2.5 (H) 1.75 (L)
Earpiece Type	Over ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

Weight (-)

PTT

N/A

Dimensions (IN-Inch)	0.25 (W) 2.25 (H) 1.5 (L)
Earpiece Type	Over ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

Weight (GM-61 Gram) Dimensions 0.63 (W) 6.5 (H) 0.75 (L) (IN-Inch) Earpiece Type RSM 3.5mm unthreaded rx only Industry N/A Intrinsic N/A Safety Rating Microphone N/A PTT N/A Weight (-) Dimensions 1 (W) 6.25 (H) 2.25 (L) (IN-Inch) Earpiece Type Earpiece part Industry N/A Intrinsic N/A Safety Rating Microphone N/A

CHARGERS



Charger Spacer Kit for TLK100 and SL series

This is a replacement kit of multi-unit charger spacers to fit the TLK100 and SL series radios and batteries – 6 spacers are included in each kit. To be used with the TLK110 six-way multi-unit charger. This is intended as a replacement kit only, as the charger already includes 6 spacers at initial purchase.

Model No: HW003622A01

Description: SPACER, MULTI-UNIT CHARGER SPACER KIT		
ROHS: Yes	CE: N/A	Country of Origin: MY
Price: €33.00		

ſ		Ζ1
)
L	\mathbf{y}	
7		

Single Unit Charger Replacement Base

Model No: PMLN7094ADescription: CHR STD SUC EXTROHS: YesCE: YesCountry of Origin: CNPrice: €59.00

Weight (-)	-
Dimonoiono (()) (1) (1

	- (W) - (H) - (L)
-)	
Number of Displays	0
Number of Pockets	6
Plug Type	N/A
Power Source	N/A
Technology	Other
Туре	Charger component

Weight (-)

Weight (=)	
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	N/A
Technology	Motorola original
Туре	Charger base
Weight (-)	-
Dimensions (IN-Inch)	1.25 (W) 2.75 (H) 2.75 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Motorola original
Туре	Single unit charger
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Motorola original
Туре	Single unit charger

Single-Unit Rapid-Rate	Charger	(EURO Plug)
------------------------	---------	-------------

This charger is compatible with SL1600 radios. Model No: PMLN7110A Description: CHR STD SUC EXT EU ROHS: Yes CE: Yes Country of Origin: CN Price: €70.00



Single Unit Charger(UK)

• Maintenance system: N •Operating Voltage : 5 Volts(DC) •Display: No •Charger Type: Non IMPRES •Note: Charger Pocket allows battery to be charged by lying flat in the pocket

Model No: PMLN7163A

Description: CHR STD SUC EXT UK

ROHS: Yes CE: Yes Country of Origin: MY Price: €70.00



Multi-Unit Charger Base

This is the Multi-Unit Charger base without the power cord.

Model No: PMLN8567A

Description: C ONLY	HGR DESKTO	P MULTI UNIT, INT PS BASE
ROHS: Yes	CE: Yes	Country of Origin: MY
Driver CODE OF	`	

Price: €385.00



Six-Pocket Multi-Unit Charger for TLK 110 radio, European plug

Charge up to six radios or batteries simultaneously with this multi-unit charger. Accepts TLK 110 radios or batteries without the radio. LED status indicator. Includes a cord for European (non-UK/Ireland) outlets.

Model No: PMLN8570A

Description: CHGR DESKTOP MULTI UNIT, INT PS EU

ROHS: Yes CE: Yes Country of Origin: MY Price: €412.00



Six-Pocket Multi-Unit Charger for TLK 110 radio, UK and Ireland plug

Charge up to six radios or batteries simultaneously with this multi-unit charger. Accepts TLK 110 radios or batteries without the radio. LED status indicator. Includes a cord for UK and Ireland outlets.

Model No: PMLN8576A

Description: CHGR DESKTOP MULTI UNIT, INT PS UK

ROHS: Yes CE: Yes Country of Origin: MY Price: €412.00



Micro-USB Wall Cube Charger

This is a power supply for Motorola SL 7550 radios. **Model No:** PS000042A11

 Description: POWER SUPPLY ADAPTOR, POWER- WALL

 CUBE, AC, DC, PWR SUPPLY ADPT, WALL

 CUBE, AC, DC, SWITCH MODE, 5W, 100V-240V, MICRO

 USB, US/JP

 ROHS: Yes
 CE: No

 Country of Origin: CN

Price: €22.50

Weight (-)

//A
00-240 VAC
ther
Iulti unit charger
0

Weight (-)

Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	6
Plug Type	EURO
Power Source	100-240 VAC
Technology	Other
Туре	Multi unit charger
Weight (-)	
Dimensions (- (W) - (H) - (L)
-)	(**) (*) (-)
Number of Displays	0
Number of Pockets	6
Plug Type	UK
Power Source	100-240 VAC
Technology	Other
Туре	Multi unit charger
Weight (-)	
Dimensions (IN-Inch)	1.75 (W) 2.63 (H) 1.25 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	US
Power Source	N/A
Technology	Power supply
Туре	Charger component

Nylon Wrist St	trap		Weight (GM- Gram)	8.7
designed to at		N6074 Nylon Wrist Strap is otorola Solutions SL series	Dimensions (IN-Inch)	0.13 (W) 12.38 (H) 0.25 (L)
radios. Model No: PM			Belt Loop / Clip Dimension	N/A
Description: W			(in)	
 ROHS: Yes Price: €11.00	CE: N/A	Country of Origin: CN	Compatible Batteries	N/A
			Display	N/A
			Material	Nylon
			Туре	Belts and straps
			Weight (-)	-
Flexible Quick	-Release Hand	Strap	Dimensions (IN-Inch)	0.06 (W) 6 (H) 0.88 (L)
		al for users who prefer to ersus using a clip.		
Model No: PM		oreas asing a supr	Belt Loop / Clip	N/A
	Description: CARRY ACCESSORY-STRAP, FLEXIBLE QUICK RELEASE HAND STRAP			
ROHS: Yes	CE: N/A	Country of Origin: PH	Compatible Batteries	N/A
Price: €24.00			Display	N/A

Display

Material

Туре

N/A

Nylon

Belts and straps

6	1	Ce	à
•		C e	
		4	
			7
	34	ð	ľ
1.			,

. .

Heavy-Duty Belt Clip

The Motorola Solutions PMLN7128 Heavy Duty Belt Clip is designed to attach to the back of your Motorola Solutions SL300 radios for added functionality.

Model No: PMLN7128A

Description: PORTABLE CARRY SOLUTION, SWIVEL BELT CLIP ROHS: Yes CE: N/A Country of Origin: MY

Price: €20.00



Swivel Carry Holster

Compatible with SL 3500e, this MOTOTRBO carry accessory is a swivel carry holder.

Model No: PMLN7190A

Price: €17.00

Description: PORTABLE CARRY SOLUTION, SWIVEL HOLSTER ROHS: Yes

Country of Origin: MY CE: N/A

Weight (-) _ Dimensions 0.75 (W) 2.75 (H) 0.88 (L) (IN-Inch) Belt Loop / 2.5 inch Clip Dimension (in) Compatible N/A Batteries Display N/A Material Plastic Туре Belt Clip Weight (-) _ Dimensions 1.13 (W) 5.13 (H) 2.38 (L) (IN-Inch) Belt Loop / 2 inch Clip Dimension (in) Compatible N/A Batteries Display Display visible Material Plastic Туре Holsters

REMOTESPEAKERMICS



RM250 Wired Remote Speaker Microphone, IP67

The Motorola Solutions PMMN4125 Shoulder Microphone is designed for Motorola Solutions SL300 & Motorola Solutions TLK100 series two way radios.

Model No: PMMN4125B

Description: PORTABLE RSM RM250 1-PIN, IP67, 3.5MM JACK

ROHS: Yes	CE: Yes	Country of Origin: MY
Price: €207.00		

Weight (KG- Kilogram)	0.023
Dimensions (-)	- (W) - (H) - (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	IP67
Microphone Type	Windporting
Programmabl e Button	No
Technology	Original
Volume Control	No
Audiobuchse	3.5mm non-threaded

BATTERIES



Li-Ion 2300mAH Battery

The Li-Ion 2300mAH Battery (PMNN4468B) offers a reliable power solution for SL Series Radios. Manufactured with premium Panasonic cells and GE Polymer casing, it ensures long-lasting performance and durability.

Model No: PMNN4468B

Description: PORTABLE RADIO BATTERY LI-ION 2300T				
ROHS: Yes	CE: Yes	Country of Origin: CN		
Price: €63.00				

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Chemistry	Li-Ion 2300 mAh
Intrinsic Safety Rating	No rating
IP Rating	N/A
Technology	Original
Туре	Battery